



MG-SEAL® O-Ring Size List



1. AS586-A Standard Size

파트넘버	실제 사이즈(mm)			실제 사이즈(Inch)			명목 사이즈(Inch)			규격
	내경	외경	선경	내경	외경	선경	내경	외경	선경	
60001	0.74	2.78	1.02	0.029	0.109	0.04	1/32	3/32	1/32	AS001
60002	1.07	3.61	1.27	0.042	0.142	0.05	3/64	9/64	3/64	AS002
60003	1.42	4.48	1.53	0.056	0.176	0.06	1/16	3/16	1/16	AS003
60004	1.78	5.34	1.78	0.070	0.210	0.07	5/64	13/64	1/16	AS004
60005	2.57	6.13	1.78	0.101	0.241	0.07	3/32	7/32	1/16	AS005
60006	2.90	6.46	1.78	0.114	0.254	0.07	1/8	1/4	1/16	AS006
60007	3.69	7.25	1.78	0.145	0.285	0.07	5/32	9/32	1/16	AS007
60008	4.47	8.03	1.78	0.176	0.316	0.07	3/16	5/16	1/16	AS008
60009	5.29	8.85	1.78	0.208	0.348	0.07	7/32	11/32	1/16	AS009
60010	6.07	9.63	1.78	0.239	0.379	0.07	1/4	3/8	1/16	AS010
60011	7.65	11.21	1.78	0.301	0.441	0.07	5/16	7/16	1/16	AS011
60012	9.25	12.81	1.78	0.364	0.504	0.07	3/8	1/2	1/16	AS012
60013	10.85	14.41	1.78	0.426	0.566	0.07	7/16	9/16	1/16	AS013
60014	12.42	15.98	1.78	0.489	0.629	0.07	1/2	5/8	1/16	AS014
60015	14.00	17.56	1.78	0.551	0.691	0.07	9/16	11/16	1/16	AS015
60016	15.60	19.16	1.78	0.614	0.754	0.07	5/8	3/4	1/16	AS016
60017	17.17	20.73	1.78	0.676	0.816	0.07	11/16	13/16	1/16	AS017
60018	18.77	22.33	1.78	0.739	0.879	0.07	3/4	7/8	1/16	AS018
60019	20.35	23.91	1.78	0.801	0.941	0.07	13/16	15/16	1/16	AS019
60020	21.95	25.51	1.78	0.864	1.004	0.07	7/8	1	1/16	AS020
60021	23.52	27.08	1.78	0.926	1.066	0.07	15/16	1 1/16	1/16	AS021
60022	25.12	28.68	1.78	0.989	1.129	0.07	1	1 1/8	1/16	AS022
60023	26.70	30.26	1.78	1.051	1.191	0.07	1 1/16	1 3/16	1/16	AS023
60024	28.30	31.86	1.78	1.114	1.254	0.07	1 1/8	1 1/4	1/16	AS024
60025	29.87	33.43	1.78	1.176	1.316	0.07	1 3/16	1 5/16	1/16	AS025
60026	31.47	35.03	1.78	1.239	1.379	0.07	1 1/4	1 3/8	1/16	AS026
60027	33.05	36.61	1.78	1.301	1.441	0.07	1 5/16	1 7/16	1/16	AS027
60028	34.65	38.21	1.78	1.364	1.504	0.07	1 3/8	1 1/2	1/16	AS028
60029	37.82	41.38	1.78	1.489	1.629	0.07	1 1/2	1 5/8	1/16	AS029
60030	41.00	44.56	1.78	1.614	1.754	0.07	1 5/8	1 3/4	1/16	AS030
60031	44.17	47.73	1.78	1.739	1.879	0.07	1 3/4	1 7/8	1/16	AS031
60032	47.35	50.91	1.78	1.864	2.004	0.07	1 7/8	2	1/16	AS032
60033	50.52	54.08	1.78	1.989	2.129	0.07	2	2 1/8	1/16	AS033
60034	53.70	57.26	1.78	2.114	2.254	0.07	2 1/8	2 1/4	1/16	AS034
60035	56.87	60.43	1.78	2.239	2.379	0.07	2 1/4	2 3/8	1/16	AS035
60036	60.04	63.60	1.78	2.364	2.504	0.07	2 3/8	2 1/2	1/16	AS036
60037	63.22	66.78	1.78	2.489	2.629	0.07	2 1/2	2 5/8	1/16	AS037
60038	66.40	69.96	1.78	2.614	2.754	0.07	2 5/8	2 3/4	1/16	AS038
60039	69.57	73.13	1.78	2.739	2.879	0.07	2 3/4	2 7/8	1/16	AS039
60040	72.75	76.31	1.78	2.864	3.004	0.07	2 7/8	3	1/16	AS040
60041	75.92	79.48	1.78	2.989	3.129	0.07	3	3 1/8	1/16	AS041
60042	82.27	85.83	1.78	3.239	3.379	0.07	3 1/4	3 3/8	1/16	AS042
60043	88.62	92.18	1.78	3.489	3.629	0.07	3 1/2	3 5/8	1/16	AS043
60044	94.97	98.53	1.78	3.739	3.879	0.07	3 3/4	3 7/8	1/16	AS044
60045	101.32	104.88	1.78	3.989	4.129	0.07	4	4 1/8	1/16	AS045


MG-SEAL® O-Ring Size List



1. AS586-A Standard Size

파트넘버	실제 사이즈(mm)			실제 사이즈(Inch)			명목 사이즈(Inch)			규격
	내경	외경	선경	내경	외경	선경	내경	외경	선경	
60046	107.67	111.23	1.78	4.239	4.379	0.07	4 1/4	4 3/8	1/16	AS046
60047	114.02	117.58	1.78	4.489	4.629	0.07	4 1/2	4 5/8	1/16	AS047
60048	120.37	123.93	1.78	4.739	4.879	0.07	4 3/4	4 7/8	1/16	AS048
60049	126.72	130.28	1.78	4.989	5.129	0.07	5	5 1/8	1/16	AS049
60050	133.07	136.63	1.78	5.239	5.379	0.07	5 1/4	5 3/8	1/16	AS050
60051	1.24	6.48	2.62	0.049	0.255	0.103	1/16	1/4	3/32	AS102
60052	2.05	7.29	2.62	0.081	0.287	0.103	3/32	9/32	3/32	AS103
60053	2.84	8.08	2.62	0.112	0.318	0.103	1/8	5/16	3/32	AS104
60054	3.63	8.87	2.62	0.143	0.349	0.103	5/32	11/32	3/32	AS105
60055	4.42	9.66	2.62	0.174	0.380	0.103	3/16	3/8	3/32	AS106
60056	5.23	10.47	2.62	0.206	0.412	0.103	7/32	13/32	3/32	AS107
60057	6.02	11.26	2.62	0.237	0.443	0.103	1/4	7/16	3/32	AS108
60058	7.60	12.84	2.62	0.299	0.505	0.103	5/16	1/2	3/32	AS109
60059	9.19	14.43	2.62	0.362	0.568	0.103	3/8	9/16	3/32	AS110
60060	10.77	16.01	2.62	0.424	0.630	0.103	7/16	5/8	3/32	AS111
60061	12.37	17.61	2.62	0.489	0.695	0.103	1/2	11/16	3/32	AS112
60062	13.95	19.19	2.62	0.549	0.755	0.103	9/16	3/4	3/32	AS113
60063	15.54	20.78	2.62	0.612	0.818	0.103	5/8	13/16	3/32	AS114
60064	17.12	22.36	2.62	0.674	0.880	0.103	11/16	7/8	3/32	AS115
60065	18.72	23.96	2.62	0.737	0.943	0.103	3/4	15/16	3/32	AS116
60066	20.29	25.53	2.62	0.799	1.005	0.103	13/16	1	3/32	AS117
60067	21.90	27.14	2.62	0.862	1.068	0.103	7/8	1 1/16	3/32	AS118
60068	23.47	28.71	2.62	0.924	1.130	0.103	15/16	1 1/8	3/32	AS119
60069	25.07	30.31	2.62	0.987	1.193	0.103	1	1 3/16	3/32	AS120
60070	26.65	31.89	2.62	1.049	1.255	0.103	1 1/16	1 1/4	3/32	AS121
60071	28.25	33.49	2.62	1.112	1.318	0.103	1 1/8	1 5/16	3/32	AS122
60072	29.82	35.06	2.62	1.174	1.380	0.103	1 3/16	1 3/8	3/32	AS123
60073	31.42	36.66	2.62	1.237	1.443	0.103	1 1/4	1 7/16	3/32	AS124
60074	33.00	38.24	2.62	1.299	1.505	0.103	1 5/16	1 1/2	3/32	AS125
60075	34.60	39.84	2.62	1.362	1.568	0.103	1 3/8	1 9/16	3/32	AS126
60076	36.17	41.41	2.62	1.424	1.630	0.103	1 7/16	1 5/8	3/32	AS127
60077	37.77	43.01	2.62	1.487	1.693	0.103	1 1/2	1 11/16	3/32	AS128
60078	39.35	44.59	2.62	1.549	1.755	0.103	1 9/16	1 3/4	3/32	AS129
60079	40.95	46.19	2.62	1.612	1.818	0.103	1 5/8	1 13/16	3/32	AS130
60080	42.52	47.76	2.62	1.674	1.880	0.103	1 11/16	1 7/8	3/32	AS131
60081	44.12	49.36	2.62	1.737	1.943	0.103	1 3/4	1 15/16	3/32	AS132
60082	45.70	50.94	2.62	1.799	2.005	0.103	1 13/16	2	3/32	AS133
60083	17.30	22.54	2.62	1.862	2.068	0.103	1 7/8	2 1/16	3/32	AS134
60084	48.90	54.14	2.62	1.925	2.131	0.103	1 15/16	2 1/8	3/32	AS135
60085	50.47	55.71	2.62	1.987	2.193	0.103	2	2 3/16	3/32	AS136
60086	52.07	57.31	2.62	2.050	2.256	0.103	2 1/16	2 1/4	3/32	AS137
60087	53.65	58.89	2.62	2.112	2.318	0.103	2 1/8	2 5/16	3/32	AS138
60088	55.25	60.49	2.62	2.175	2.381	0.103	2 3/16	2 3/8	3/32	AS139


MG-SEAL® O-Ring Size List



1. AS586-A Standard Size

파트넘버	실제 사이즈(mm)			실제 사이즈(Inch)			명목 사이즈(Inch)			규격
	내경	외경	선경	내경	외경	선경	내경	외경	선경	
60089	56.82	62.06	2.62	2.237	2.443	0.103	2 1/4	2 7/16	3/32	AS140
60090	58.42	63.66	2.62	2.300	2.506	0.103	2 5/16	2 1/2	3/32	AS141
60091	60.00	65.24	2.62	2.362	2.568	0.103	2 3/8	2 9/16	3/32	AS142
60092	61.60	66.84	2.62	2.425	2.631	0.103	2 7/16	2 5/8	3/32	AS143
60093	63.17	68.41	2.62	2.487	2.693	0.103	2 1/2	2 11/16	3/32	AS144
60094	64.77	70.01	2.62	2.550	2.756	0.103	2 9/16	2 3/4	3/32	AS145
60095	66.35	71.59	2.62	2.612	2.818	0.103	2 5/8	2 13/16	3/32	AS146
60096	67.95	73.19	2.62	2.675	2.881	0.103	2 11/16	2 7/8	3/32	AS147
60097	69.52	74.76	2.62	2.737	2.943	0.103	2 3/4	2 15/16	3/32	AS148
60098	71.12	76.36	2.62	2.800	3.006	0.103	2 13/16	3	3/32	AS149
60099	72.70	77.94	2.62	2.862	3.068	0.103	2 7/8	3 1/16	3/32	AS150
60100	75.87	81.11	2.62	2.987	3.193	0.103	3	3 3/16	3/32	AS151
60101	82.22	87.46	2.62	3.237	3.443	0.103	3 1/4	3 7/16	3/32	AS152
60102	88.57	93.81	2.62	3.487	3.693	0.103	3 1/2	3 11/16	3/32	AS153
60103	94.92	100.16	2.62	3.737	3.943	0.103	3 3/4	3 15/16	3/32	AS154
60104	101.27	106.51	2.62	3.987	4.193	0.103	4	4 3/16	3/32	AS155
60105	107.62	112.86	2.62	4.237	4.443	0.103	4 1/4	4 7/16	3/32	AS156
60106	113.97	119.21	2.62	4.487	4.693	0.103	4 1/2	4 11/16	3/32	AS157
60107	120.32	125.56	2.62	4.737	4.943	0.103	4 3/4	4 15/16	3/32	AS158
60108	126.67	131.91	2.62	4.987	5.193	0.103	5	5 3/16	3/32	AS159
60109	133.02	138.26	2.62	5.237	5.443	0.103	5 1/4	5 7/16	3/32	AS160
60110	139.37	144.61	2.62	5.487	5.693	0.103	5 1/2	5 11/16	3/32	AS161
60111	145.72	150.96	2.62	5.737	5.943	0.103	5 3/4	5 15/16	3/32	AS162
60112	152.07	157.31	2.62	5.987	6.193	0.103	6	6 3/16	3/32	AS163
60113	158.42	163.66	2.62	6.237	6.443	0.103	6 1/4	6 7/16	3/32	AS164
60114	164.77	170.01	2.62	6.487	6.693	0.103	6 1/2	6 11/16	3/32	AS165
60115	171.12	176.36	2.62	6.737	6.943	0.103	6 3/4	6 15/16	3/32	AS166
60116	177.47	182.71	2.62	6.987	7.193	0.103	7	7 3/16	3/32	AS167
60117	183.82	189.06	2.62	7.237	7.443	0.103	7 1/4	7 7/16	3/32	AS168
60118	190.17	195.41	2.62	7.487	7.693	0.103	7 1/2	7 11/16	3/32	AS169
60119	196.52	201.76	2.62	7.737	7.943	0.103	7 3/4	7 15/16	3/32	AS170
60120	202.87	208.11	2.62	7.987	8.193	0.103	8	8 3/16	3/32	AS171
60121	209.22	214.46	2.62	8.237	8.443	0.103	8 1/4	8 7/16	3/32	AS172
60122	215.57	220.81	2.62	8.487	8.693	0.103	8 1/2	8 11/16	3/32	AS173
60123	221.92	227.16	2.62	8.737	8.943	0.103	8 3/4	8 15/16	3/32	AS174
60124	228.27	233.51	2.62	8.987	9.193	0.103	9	9 3/16	3/32	AS175
60125	234.62	239.86	2.62	9.237	9.443	0.103	9 1/4	9 7/16	3/32	AS176
60126	240.97	246.21	2.62	9.487	9.693	0.103	9 1/2	9 11/16	3/32	AS177
60127	247.32	252.56	2.62	9.737	9.943	0.103	9 3/4	9 15/16	3/32	AS178


MG-SEAL® O-Ring Size List



1. AS586-A Standard Size

파트넘버	실제 사이즈(mm)			실제 사이즈(Inch)			명목 사이즈(Inch)			규격
	내경	외경	선경	내경	외경	선경	내경	외경	선경	
60128	4.34	11.40	3.53	0.171	0.449	0.139	3/16	7/16	1/8	AS201
60129	5.94	13.00	3.53	0.234	0.512	0.139	1/4	1/2	1/8	AS202
60130	7.52	14.58	3.53	0.296	0.574	0.139	5/16	9/16	1/8	AS203
60131	9.12	16.18	3.53	0.359	0.637	0.139	3/8	5/8	1/8	AS204
60132	10.69	17.75	3.53	0.421	0.699	0.139	7/16	11/16	1/8	AS205
60133	12.29	19.35	3.53	0.484	0.762	0.139	1/2	3/4	1/8	AS206
60134	13.87	20.93	3.53	0.546	0.824	0.139	9/16	13/16	1/8	AS207
60135	15.47	22.53	3.53	0.609	0.887	0.139	5/8	7/8	1/8	AS208
60136	17.04	24.10	3.53	0.671	0.949	0.139	11/16	15/16	1/8	AS209
60137	18.64	25.70	3.53	0.734	1.012	0.139	3/4	1	1/8	AS210
60138	20.22	27.28	3.53	0.796	1.074	0.139	13/16	1 1/16	1/8	AS211
60139	21.82	28.88	3.53	0.859	1.137	0.139	7/8	1 1/8	1/8	AS212
60140	23.39	30.45	3.53	0.921	1.199	0.139	15/16	1 3/16	1/8	AS213
60141	25.00	32.06	3.53	0.984	1.262	0.139	1	1 1/4	1/8	AS214
60142	26.57	33.63	3.53	1.046	1.324	0.139	1 1/16	1 5/16	1/8	AS215
60143	28.17	35.23	3.53	1.109	1.387	0.139	1 1/8	1 3/8	1/8	AS216
60144	29.75	36.81	3.53	1.171	1.449	0.139	1 3/16	1 7/16	1/8	AS217
60145	31.34	38.40	3.53	1.234	1.512	0.139	1 1/4	1 1/2	1/8	AS218
60146	32.92	39.98	3.53	1.296	1.574	0.139	1 5/16	1 9/16	1/8	AS219
60147	34.52	41.58	3.53	1.359	1.637	0.139	1 3/8	1 5/8	1/8	AS220
60148	36.10	43.16	3.53	1.421	1.699	0.139	1 7/16	1 11/16	1/8	AS221
60149	37.70	44.76	3.53	1.484	1.762	0.139	1 1/2	1 3/4	1/8	AS222
60150	40.87	47.93	3.53	1.609	1.887	0.139	1 5/8	1 7/8	1/8	AS223
60151	44.05	51.11	3.53	1.734	2.012	0.139	1 3/4	2	1/8	AS224
60152	47.22	54.28	3.53	1.859	2.137	0.139	1 7/8	2 1/8	1/8	AS225
60153	50.40	57.46	3.53	1.984	2.262	0.139	2	2 1/4	1/8	AS226
60154	53.57	60.63	3.53	2.109	2.387	0.139	2 1/8	2 3/8	1/8	AS227
60155	56.75	63.81	3.53	2.234	2.512	0.139	2 1/4	2 1/2	1/8	AS228
60156	59.92	66.98	3.53	2.359	2.637	0.139	2 3/8	2 5/8	1/8	AS229
60157	63.10	70.16	3.53	2.484	2.762	0.139	2 1/2	2 3/4	1/8	AS230
60158	66.27	73.33	3.53	2.609	2.887	0.139	2 5/8	2 7/8	1/8	AS231
60159	69.44	76.50	3.53	2.734	3.012	0.139	2 3/4	3	1/8	AS232
60160	72.62	79.68	3.53	2.859	3.137	0.139	2 7/8	3 1/8	1/8	AS233
60161	75.79	82.85	3.53	2.984	3.262	0.139	3	3 1/4	1/8	AS234
60162	78.97	86.03	3.53	3.109	3.387	0.139	3 1/8	3 3/8	1/8	AS235
60163	82.14	89.20	3.53	3.234	3.512	0.139	3 1/4	3 1/2	1/8	AS236
60164	85.32	92.38	3.53	3.359	3.637	0.139	3 3/8	3 5/8	1/8	AS237
60165	88.49	95.55	3.53	3.484	3.762	0.139	3 1/2	3 3/4	1/8	AS238
60166	91.67	98.73	3.53	3.609	3.887	0.139	3 5/8	3 7/8	1/8	AS239
60167	94.84	101.90	3.53	3.734	4.012	0.139	3 3/4	4	1/8	AS240
60168	98.02	105.08	3.53	3.859	4.137	0.139	3 7/8	4 1/8	1/8	AS241
60169	101.19	108.25	3.53	3.984	4.262	0.139	4	4 1/4	1/8	AS242
60170	104.37	111.43	3.53	4.109	4.387	0.139	4 1/8	4 3/8	1/8	AS243
60171	107.54	114.60	3.53	4.234	4.512	0.139	4 1/4	4 1/2	1/8	AS244
60172	110.72	117.78	3.53	4.359	4.637	0.139	4 3/8	4 5/8	1/8	AS245


MG-SEAL® O-Ring Size List



1. AS586-A Standard Size

파트넘버	실제 사이즈(mm)			실제 사이즈(Inch)			명목 사이즈(Inch)			규격
	내경	외경	선경	내경	외경	선경	내경	외경	선경	
60173	113.89	120.95	3.53	4.484	4.762	0.139	4 1/2	4 3/4	1/8	AS246
60174	117.07	124.13	3.53	4.609	4.887	0.139	4 5/8	4 7/8	1/8	AS247
60175	120.24	127.30	3.53	4.734	5.012	0.139	4 3/4	5	1/8	AS248
60176	123.42	130.48	3.53	4.859	5.137	0.139	4 7/8	5 1/8	1/8	AS249
60177	126.59	133.65	3.53	4.984	5.262	0.139	5	5 1/4	1/8	AS250
60178	129.77	136.83	3.53	5.109	5.387	0.139	5 1/8	5 3/8	1/8	AS251
60179	132.94	140.00	3.53	5.234	5.512	0.139	5 1/4	5 1/2	1/8	AS252
60180	136.12	143.18	3.53	5.359	5.637	0.139	5 3/8	5 5/8	1/8	AS253
60181	139.30	146.36	3.53	5.484	5.762	0.139	5 1/2	5 3/4	1/8	AS254
60182	142.47	149.53	3.53	5.609	5.887	0.139	5 5/8	5 7/8	1/8	AS255
60183	145.65	152.71	3.53	5.734	6.012	0.139	5 3/4	6	1/8	AS256
60184	148.82	155.88	3.53	5.859	6.137	0.139	5 7/8	6 1/8	1/8	AS257
60185	152.00	159.06	3.53	5.984	6.262	0.139	6	6 1/4	1/8	AS258
60186	158.35	165.41	3.53	6.234	6.512	0.139	6 1/4	6 1/2	1/8	AS259
60187	164.70	171.76	3.53	6.484	6.762	0.139	6 1/2	6 3/4	1/8	AS260
60188	171.05	178.11	3.53	6.734	7.012	0.139	6 3/4	7	1/8	AS261
60189	177.40	184.46	3.53	6.984	7.262	0.139	7	7 1/4	1/8	AS262
60190	183.75	190.81	3.53	7.234	7.512	0.139	7 1/4	7 1/2	1/8	AS263
60191	190.10	197.16	3.53	7.484	7.762	0.139	7 1/2	7 3/4	1/8	AS264
60192	196.45	203.51	3.53	7.734	8.012	0.139	7 3/4	8	1/8	AS265
60193	202.80	209.86	3.53	7.984	8.262	0.139	8	8 1/4	1/8	AS266
60194	209.15	216.21	3.53	8.234	8.512	0.139	8 1/4	8 1/2	1/8	AS267
60195	215.50	222.56	3.53	8.484	8.762	0.139	8 1/2	8 3/4	1/8	AS268
60196	221.85	228.91	3.53	8.734	9.012	0.139	8 3/4	9	1/8	AS269
60197	228.20	235.26	3.53	8.984	9.262	0.139	9	9 1/4	1/8	AS270
60198	234.55	241.61	3.53	9.234	9.512	0.139	9 1/4	9 1/2	1/8	AS271
60199	240.90	247.96	3.53	9.484	9.762	0.139	9 1/2	9 3/4	1/8	AS272
60200	247.25	254.31	3.53	9.734	10.012	0.139	9 3/4	10	1/8	AS273
60201	253.60	260.66	3.53	9.984	10.262	0.139	10	10 1/4	1/8	AS274
60202	266.30	273.36	3.53	10.484	10.762	0.139	10 1/2	10 3/4	1/8	AS275
60203	279.00	286.06	3.53	10.984	11.262	0.139	11	11 1/4	1/8	AS276
60204	291.70	298.76	3.53	11.484	11.762	0.139	11 1/2	11 3/4	1/8	AS277
60205	304.40	311.46	3.53	11.984	12.262	0.139	12	12 1/4	1/8	AS278
60206	329.80	336.86	3.53	12.984	13.262	0.139	13	13 1/4	1/8	AS279
60207	355.20	362.26	3.53	13.984	14.262	0.139	14	14 1/4	1/8	AS280
60208	380.60	387.66	3.53	14.984	15.262	0.139	15	15 1/4	1/8	AS281
60209	405.26	412.32	3.53	15.955	16.233	0.139	16	16 1/4	1/8	AS282
60210	430.66	437.72	3.53	16.955	17.233	0.139	17	17 1/4	1/8	AS283
60211	456.06	463.12	3.53	17.955	18.233	0.139	18	18 1/4	1/8	AS284


MG-SEAL® O-Ring Size List



1. AS586-A Standard Size

파트넘버	실제 사이즈(mm)			실제 사이즈(Inch)			명목 사이즈(Inch)			규격
	내경	외경	선경	내경	외경	선경	내경	외경	선경	
60212	10.46	21.14	5.34	0.412	0.832	0.210	7/16	11/16	1/8	AS309
60213	12.07	22.75	5.34	0.475	0.895	0.210	1/2	3/4	1/8	AS310
60214	13.64	24.32	5.34	0.537	0.957	0.210	9/16	13/16	1/8	AS311
60215	15.24	25.92	5.34	0.600	1.020	0.210	5/8	7/8	1/8	AS312
60216	16.81	27.49	5.34	0.662	1.082	0.210	11/16	15/16	1/8	AS313
60217	18.42	29.10	5.34	0.725	1.145	0.210	3/4	1	1/8	AS314
60218	19.99	30.67	5.34	0.787	1.207	0.210	13/16	1 1/16	1/8	AS315
60219	21.59	32.27	5.34	0.850	1.270	0.210	7/8	1 1/8	1/8	AS316
60220	23.16	33.84	5.34	0.912	1.332	0.210	15/16	1 3/16	1/8	AS317
60221	24.77	35.45	5.34	0.975	1.395	0.210	1	1 1/4	1/8	AS318
60222	26.34	37.02	5.34	1.037	1.457	0.210	1 1/16	1 5/16	1/8	AS319
60223	27.94	38.62	5.34	1.100	1.520	0.210	1 1/8	1 3/8	1/8	AS320
60224	29.51	40.19	5.34	1.162	1.582	0.210	1 3/16	1 7/16	1/8	AS321
60225	31.12	41.80	5.34	1.225	1.645	0.210	1 1/4	1 1/2	1/8	AS322
60226	32.69	43.37	5.34	1.287	1.707	0.210	1 5/16	1 9/16	1/8	AS323
60227	34.29	44.97	5.34	1.350	1.770	0.210	1 3/8	1 5/8	1/8	AS324
60228	37.47	48.15	5.34	1.475	1.895	0.210	1 1/2	1 3/4	1/8	AS325
60229	40.65	51.33	5.34	1.600	2.020	0.210	1 5/8	1 7/8	1/8	AS326
60230	43.82	54.50	5.34	1.725	2.145	0.210	1 3/4	2	1/8	AS327
60231	46.99	57.67	5.34	1.850	2.270	0.210	1 7/8	2 1/8	1/8	AS328
60232	50.16	60.84	5.34	1.975	2.395	0.210	2	2 1/4	1/8	AS329
60233	53.34	64.02	5.34	2.100	2.520	0.210	2 1/8	2 3/8	1/8	AS330
60234	56.52	67.20	5.34	2.225	2.645	0.210	2 1/4	2 1/2	1/8	AS331
60235	59.69	70.37	5.34	2.350	2.770	0.210	2 3/8	2 5/8	1/8	AS332
60236	62.87	73.55	5.34	2.475	2.895	0.210	2 1/2	2 3/4	1/8	AS333
60237	66.04	76.72	5.34	2.600	3.020	0.210	2 5/8	2 7/8	1/8	AS334
60238	69.22	79.90	5.34	2.725	3.145	0.210	2 3/4	3	1/8	AS335
60239	72.39	83.07	5.34	2.850	3.270	0.210	2 7/8	3 1/8	1/8	AS336
60240	75.57	86.25	5.34	2.975	3.395	0.210	3	3 1/4	1/8	AS337
60241	78.74	89.42	5.34	3.100	3.520	0.210	3 1/8	3 3/8	1/8	AS338
60242	81.92	92.60	5.34	3.225	3.645	0.210	3 1/4	3 1/2	1/8	AS339
60243	85.09	95.77	5.34	3.350	3.770	0.210	3 3/8	3 5/8	1/8	AS340
60244	88.27	98.95	5.34	3.475	3.895	0.210	3 1/2	3 3/4	1/8	AS341
60245	91.44	102.12	5.34	3.600	4.020	0.210	3 5/8	3 7/8	1/8	AS342
60246	94.62	105.30	5.34	3.725	4.145	0.210	3 3/4	4	1/8	AS343
60247	97.79	108.47	5.34	3.850	4.270	0.210	3 7/8	4 1/8	1/8	AS344
60248	100.96	111.64	5.34	3.975	4.395	0.210	4	4 1/4	1/8	AS345
60249	104.14	114.82	5.34	4.100	4.520	0.210	4 1/8	4 3/8	1/8	AS346
60250	107.32	118.00	5.34	4.225	4.645	0.210	4 1/4	4 1/2	1/8	AS347
60251	110.49	121.17	5.34	4.350	4.770	0.210	4 3/8	4 5/8	1/8	AS348
60252	113.67	124.35	5.34	4.475	4.895	0.210	4 1/2	4 3/4	1/8	AS349
60253	116.84	127.52	5.34	4.600	5.020	0.210	4 5/8	4 7/8	1/8	AS350
60254	120.02	130.70	5.34	4.725	5.145	0.210	4 3/4	5	1/8	AS351
60255	123.19	133.87	5.34	4.850	5.270	0.210	4 7/8	5 1/8	1/8	AS352
60256	126.37	137.05	5.34	4.975	5.395	0.210	5	5 1/4	1/8	AS353


MG-SEAL® O-Ring Size List



1. AS586-A Standard Size

파트넘버	실제 사이즈(mm)			실제 사이즈(Inch)			명목 사이즈(Inch)			규격
	내경	외경	선경	내경	외경	선경	내경	외경	선경	
60257	129.54	140.22	5.34	5.100	5.520	0.210	5 1/8	5 3/8	1/8	AS354
60258	132.72	143.40	5.34	5.225	5.645	0.210	5 1/4	5 1/2	1/8	AS355
60259	135.89	146.57	5.34	5.350	5.770	0.210	5 3/8	5 5/8	1/8	AS356
60260	139.07	149.75	5.34	5.475	5.895	0.210	5 1/2	5 3/4	1/8	AS357
60261	142.24	152.92	5.34	5.600	6.020	0.210	5 5/8	5 7/8	1/8	AS358
60262	145.42	156.10	5.34	5.725	6.145	0.210	5 3/4	6	1/8	AS359
60263	148.59	159.27	5.34	5.850	6.270	0.210	5 7/8	6 1/8	1/8	AS360
60264	151.77	162.45	5.34	5.975	6.395	0.210	6	6 1/4	1/8	AS361
60265	158.12	168.80	5.34	6.225	6.645	0.210	6 1/4	6 1/2	1/8	AS362
60266	164.47	175.15	5.34	6.475	6.895	0.210	6 1/2	6 3/4	1/8	AS363
60267	170.82	181.50	5.34	6.725	7.145	0.210	6 3/4	7	1/8	AS364
60268	177.17	187.85	5.34	6.975	7.395	0.210	7	7 1/4	1/8	AS365
60269	183.52	194.20	5.34	7.225	7.645	0.210	7 1/4	7 1/2	1/8	AS366
60270	189.87	200.55	5.34	7.475	7.895	0.210	7 1/2	7 3/4	1/8	AS367
60271	196.22	206.90	5.34	7.725	8.145	0.210	7 3/4	8	1/8	AS368
60272	202.57	213.25	5.34	7.975	8.395	0.210	8	8 1/4	1/8	AS369
60273	208.92	219.60	5.34	8.225	8.645	0.210	8 1/4	8 1/2	1/8	AS370
60274	215.27	225.95	5.34	7.475	7.895	0.210	8 1/2	8 3/4	1/8	AS371
60275	221.62	232.30	5.34	8.725	9.145	0.210	8 3/4	9	1/8	AS372
60276	227.97	238.65	5.34	8.975	9.395	0.210	9	9 1/4	1/8	AS373
60277	234.32	245.00	5.34	9.225	9.645	0.210	9 1/4	9 1/2	1/8	AS374
60278	240.67	251.35	5.34	9.475	9.895	0.210	9 1/2	9 3/4	1/8	AS375
60279	247.02	257.70	5.34	9.725	10.145	0.210	9 3/4	10	1/8	AS376
60280	253.37	264.05	5.34	9.975	10.395	0.210	10	10 1/4	1/8	AS377
60281	266.07	276.75	5.34	10.475	10.895	0.210	10 1/2	10 3/4	1/8	AS378
60282	278.77	289.45	5.34	10.975	11.395	0.210	11	11 1/4	1/8	AS379
60283	291.47	302.15	5.34	11.475	11.895	0.210	11 1/2	11 3/4	1/8	AS380
60284	304.17	314.85	5.34	11.975	12.395	0.210	12	12 1/4	1/8	AS381
60285	329.57	340.25	5.34	12.975	13.395	0.210	13	13 1/4	1/8	AS382
60286	354.97	365.65	5.34	13.975	14.395	0.210	14	14 1/4	1/8	AS383
60287	380.37	391.05	5.34	14.975	15.395	0.210	15	15 1/4	1/8	AS384
60288	405.26	415.94	5.34	15.955	16.375	0.210	16	16 1/4	1/8	AS385
60289	430.66	441.34	5.34	16.955	17.375	0.210	17	17 1/4	1/8	AS386
60290	456.06	466.74	5.34	17.955	18.375	0.210	18	18 1/4	1/8	AS387
60291	481.46	492.14	5.34	18.955	19.375	0.210	19	19 1/4	1/8	AS388
60292	506.86	517.54	5.34	19.955	20.375	0.210	20	20 1/4	1/8	AS389
60293	532.26	542.94	5.34	20.955	21.375	0.210	21	21 1/4	1/8	AS390
60294	557.66	568.34	5.34	21.955	22.375	0.210	22	22 1/4	1/8	AS391
60295	582.70	593.38	5.34	22.940	23.360	0.210	23	23 1/4	1/8	AS392
60296	608.10	618.78	5.34	23.940	24.360	0.210	24	24 1/4	1/8	AS393
60297	633.50	644.18	5.34	24.940	25.360	0.210	25	25 1/4	1/8	AS394
60298	658.90	669.58	5.34	25.940	26.360	0.210	26	26 1/4	1/8	AS395


MG-SEAL® O-Ring Size List



1. AS586-A Standard Size

파트넘버	실제 사이즈(mm)			실제 사이즈(Inch)			명목 사이즈(Inch)			규격
	내경	외경	선경	내경	외경	선경	내경	외경	선경	
60299	113.67	127.65	6.99	4.475	5.035	0.280	4 1/2	5	1/4	AS425
60300	116.84	130.82	6.99	4.600	5.160	0.280	4 5/8	5 1/8	1/4	AS426
60301	120.02	134.00	6.99	4.725	5.285	0.280	4 3/4	5 1/4	1/4	AS427
60302	123.19	137.17	6.99	4.850	5.410	0.280	4 7/8	5 3/8	1/4	AS428
60303	126.37	140.35	6.99	4.975	5.535	0.280	5	5 1/2	1/4	AS429
60304	129.54	143.52	6.99	5.100	5.660	0.280	5 1/8	5 5/8	1/4	AS430
60305	132.72	146.70	6.99	5.225	5.785	0.280	5 1/4	5 3/4	1/4	AS431
60306	135.89	149.87	6.99	5.350	5.910	0.280	5 3/8	5 7/8	1/4	AS432
60307	139.07	153.05	6.99	5.475	6.035	0.280	5 1/2	6	1/4	AS433
60308	142.24	156.22	6.99	5.600	6.160	0.280	5 5/8	6 1/8	1/4	AS434
60309	145.42	159.40	6.99	5.725	6.285	0.280	5 3/4	6 1/4	1/4	AS435
60310	148.59	162.57	6.99	5.850	6.410	0.280	5 7/8	6 3/8	1/4	AS436
60311	151.77	165.75	6.99	5.975	6.535	0.280	6	6 1/2	1/4	AS437
60312	158.12	172.10	6.99	6.225	6.785	0.280	6 1/4	6 3/4	1/4	AS438
60313	164.47	178.45	6.99	6.475	7.035	0.280	6 1/2	7	1/4	AS439
60314	170.82	184.80	6.99	6.725	7.285	0.280	6 3/4	7 1/4	1/4	AS440
60315	177.17	191.15	6.99	6.975	7.535	0.280	7	7 1/2	1/4	AS441
60316	183.52	197.50	6.99	7.225	7.785	0.280	7 1/4	7 3/4	1/4	AS442
60317	189.87	203.85	6.99	7.475	8.035	0.280	7 1/2	8	1/4	AS443
60318	196.22	210.20	6.99	7.725	8.285	0.280	7 3/4	8 1/4	1/4	AS444
60319	202.57	216.55	6.99	7.975	8.535	0.280	8	8 1/2	1/4	AS445
60320	215.27	229.25	6.99	8.475	9.035	0.280	8 1/2	9	1/4	AS446
60321	227.97	241.95	6.99	8.975	9.535	0.280	9	9 1/2	1/4	AS447
60322	240.67	254.65	6.99	9.475	10.035	0.280	9 1/2	10	1/4	AS448
60323	253.37	267.35	6.99	9.975	10.535	0.280	10	10 1/2	1/4	AS449
60324	266.07	280.05	6.99	10.475	11.035	0.280	10 1/2	11	1/4	AS450
60325	278.77	292.75	6.99	10.975	11.535	0.280	11	11 1/2	1/4	AS451
60326	291.47	305.45	6.99	11.475	12.035	0.280	11 1/2	12	1/4	AS452
60327	304.17	318.15	6.99	11.975	12.535	0.280	12	12 1/2	1/4	AS453
60328	316.87	330.85	6.99	12.475	13.035	0.280	12 1/2	13	1/4	AS454
60329	329.57	343.55	6.99	12.975	13.535	0.280	13	13 1/2	1/4	AS455
60330	342.27	356.25	6.99	13.475	14.035	0.280	13 1/2	14	1/4	AS456
60331	354.97	368.95	6.99	13.975	14.535	0.280	14	14 1/2	1/4	AS457
60332	367.67	381.65	6.99	14.475	15.035	0.280	14 1/2	15	1/4	AS458
60333	380.37	394.35	6.99	14.975	15.535	0.280	15	15 1/2	1/4	AS459
60334	393.08	407.06	6.99	15.475	16.035	0.280	15 1/2	16	1/4	AS460
60335	405.26	419.24	6.99	15.955	16.515	0.280	16	16 1/2	1/4	AS461
60336	417.96	431.94	6.99	16.455	17.015	0.280	16 1/2	17	1/4	AS462
60337	430.66	444.64	6.99	16.955	17.515	0.280	17	17 1/2	1/4	AS463
60338	443.36	457.34	6.99	17.455	18.015	0.280	17 1/2	18	1/4	AS464
60339	456.06	470.04	6.99	17.955	18.515	0.280	18	18 1/2	1/4	AS465
60340	468.76	482.74	6.99	18.455	19.015	0.280	18 1/2	19	1/4	AS466
60341	481.46	495.44	6.99	18.955	19.515	0.280	19	19 1/2	1/4	AS467
60342	494.16	508.14	6.99	19.455	20.015	0.280	19 1/2	20	1/4	AS468
60343	506.86	520.84	6.99	19.955	20.515	0.280	20	20 1/2	1/4	AS469


MG-SEAL® O-Ring Size List



1. AS586-A Standard Size

파트넘버	실제 사이즈(mm)			실제 사이즈(Inch)			명목 사이즈(Inch)			규격
	내경	외경	선경	내경	외경	선경	내경	외경	선경	
60344	532.26	546.24	6.99	20.955	21.515	0.280	21	21 1/2	1/4	AS470
60345	557.66	571.64	6.99	21.955	22.515	0.280	22	22 1/2	1/4	AS471
60346	582.70	596.68	6.99	22.940	23.500	0.280	23	23 1/2	1/4	AS472
60347	608.10	622.08	6.99	23.940	24.500	0.280	24	24 1/2	1/4	AS473
60348	633.50	647.48	6.99	24.940	25.500	0.280	25	25 1/2	1/4	AS474
60349	658.90	672.88	6.99	25.940	26.500	0.280	26	26 1/2	1/4	AS475

MG-SEAL® O-Ring Size List




2. JIS P Standard Size

파트넘버	실제 사이즈(mm)			규격
	내경	외경	선경	
50020	1.8	5.6	1.9	P2
50025	2.8	6.6	1.9	P3
50030	3.8	7.6	1.9	P4
50035	4.8	8.6	1.9	P5
50040	5.8	9.6	1.9	P6
50045	6.8	10.6	1.9	P7
50050	7.8	11.6	1.9	P8
50055	8.8	12.6	1.9	P9
50060	9.8	13.6	1.9	P10
50065	9.8	14.6	2.4	P10A
50070	10.8	15.6	2.4	P11
50075	11.0	15.8	2.4	P11.2
50080	11.8	16.6	2.4	P12
50085	12.3	17.1	2.4	P12.5
50090	13.8	18.6	2.4	P14
50095	14.8	19.6	2.4	P15
50100	15.8	20.6	2.4	P16
50105	17.8	22.6	2.4	P18
50110	18.8	23.6	2.4	P19
50115	19.8	24.6	2.4	P20
50120	20.8	25.6	2.4	P21
50125	21.8	26.6	2.4	P22
50130	21.7	28.7	3.5	P22A
50135	22.1	29.1	3.5	P22.4
50140	23.7	30.7	3.5	P24
50145	24.7	31.7	3.5	P25
50150	25.7	32.7	3.5	P26
50155	27.7	34.7	3.5	P28
50160	28.7	35.7	3.5	P29
50165	29.2	36.2	3.5	P29.5
50170	29.7	36.7	3.5	P30
50175	30.7	37.7	3.5	P31
50180	31.2	38.2	3.5	P31.5
50185	31.7	38.7	3.5	P32
50190	32.7	39.7	3.5	P33
50195	33.7	40.7	3.5	P34
50200	34.7	41.7	3.5	P35
50205	35.2	42.2	3.5	P35.5
50210	35.7	42.7	3.5	P36
50215	37.7	44.7	3.5	P38
50220	38.7	45.7	3.5	P39
50225	39.7	46.7	3.5	P40
50230	40.7	47.7	3.5	P41
50235	41.7	48.7	3.5	P42
50240	42.7	49.7	3.5	P43
50245	43.7	50.7	3.5	P44
50250	44.7	51.7	3.5	P45
50255	45.7	52.7	3.5	P46

파트넘버	실제 사이즈(mm)			규격
	내경	외경	선경	
50260	47.7	54.7	3.5	P48
50265	48.7	55.7	3.5	P49
50270	49.7	56.7	3.5	P50
50275	47.6	59.0	5.7	P48A
50280	49.6	61.0	5.7	P50A
50285	51.6	63.0	5.7	P52
50290	52.6	64.0	5.7	P53
50295	54.6	66.0	5.7	P55
50300	55.6	67.0	5.7	P56
50305	57.6	69.0	5.7	P58
50310	59.6	71.0	5.7	P60
50315	61.6	73.0	5.7	P62
50320	62.6	74.0	5.7	P63
50325	64.6	76.0	5.7	P65
50330	66.6	78.0	5.7	P67
50335	69.6	81.0	5.7	P70
50340	70.6	82.0	5.7	P71
50345	74.6	86.0	5.7	P75
50350	79.6	91.0	5.7	P80
50355	84.6	96.0	5.7	P85
50360	89.6	101.0	5.7	P90
50365	94.6	106.0	5.7	P95
50370	99.6	111.0	5.7	P100
50375	104.6	116.0	5.7	P102
50380	104.6	116.0	5.7	P105
50385	109.6	121.0	5.7	P110
50390	111.6	123.0	5.7	P112
50395	114.6	126.0	5.7	P115
50400	119.6	131.0	5.7	P120
50405	124.6	136.0	5.7	P125
50410	129.6	141.0	5.7	P130
50415	131.6	143.0	5.7	P132
50420	134.6	146.0	5.7	P135
50425	139.6	151.0	5.7	P140
50430	144.6	156.0	5.7	P145
50435	149.6	161.0	5.7	P150
50440	149.5	166.3	8.4	P150A
50445	154.5	171.3	8.4	P155
50450	159.5	176.3	8.4	P160
50455	164.5	181.3	8.4	P165
50460	169.5	186.3	8.4	P170
50465	174.5	191.3	8.4	P175
50470	179.5	196.3	8.4	P180
50475	184.5	201.3	8.4	P185
50480	189.5	206.3	8.4	P190
50485	194.5	211.3	8.4	P195
50490	199.5	216.3	8.4	P200
50495	204.5	221.3	8.4	P205

MG-SEAL® O-Ring Size List




2. JIS P Standard Size

파트넘버	실제 사이즈(mm)			규격
	내경	외경	선경	
50500	209.5	226.3	8.4	P210
50505	214.5	231.3	8.4	P215
50510	219.5	236.3	8.4	P220
50515	224.5	241.3	8.4	P225
50520	229.5	246.3	8.4	P230
50525	234.5	251.3	8.4	P235
50530	239.5	256.3	8.4	P240
50535	244.5	261.3	8.4	P245
50540	249.5	266.3	8.4	P250
50545	254.5	271.3	8.4	P255
50550	259.5	276.3	8.4	P260
50555	264.5	281.3	8.4	P265
50560	269.5	286.3	8.4	P270
50565	274.5	291.3	8.4	P275
50570	279.5	296.3	8.4	P280
50575	284.5	301.3	8.4	P285
50580	289.5	306.3	8.4	P290
50585	294.5	311.3	8.4	P295
50590	299.5	316.3	8.4	P300
50595	304.5	321.3	8.4	P305
50600	309.5	326.3	8.4	P310
50605	314.5	331.3	8.4	P315
50610	319.5	336.3	8.4	P320
50615	324.5	341.3	8.4	P325
50620	329.5	346.3	8.4	P330
50625	334.5	351.3	8.4	P335
50630	339.5	356.3	8.4	P340
50635	344.5	361.3	8.4	P345
50640	349.5	366.3	8.4	P350
50645	354.5	371.3	8.4	P355
50650	359.5	376.3	8.4	P360
50655	364.5	381.3	8.4	P365
50660	369.5	386.3	8.4	P370
50665	374.5	391.3	8.4	P375
50670	379.5	396.3	8.4	P380
50675	384.5	401.3	8.4	P385
50680	389.5	406.3	8.4	P390
50685	394.5	411.3	8.4	P395
50690	399.5	416.3	8.4	P400
50695	404.5	421.3	8.4	P405
50700	409.5	426.3	8.4	P410
50705	414.5	431.3	8.4	P415
50710	419.5	436.3	8.4	P420
50715	424.5	441.3	8.4	P425
50720	429.5	446.3	8.4	P430
50725	434.5	451.3	8.4	P435
50730	439.5	456.3	8.4	P440
50735	444.5	461.3	8.4	P445

파트넘버	실제 사이즈(mm)			규격
	내경	외경	선경	
50740	449.5	466.3	8.4	P450
50745	454.5	471.3	8.4	P455
50750	459.5	476.3	8.4	P460
50755	464.5	481.3	8.4	P465
50760	469.5	486.3	8.4	P470
50765	474.5	491.3	8.4	P475
50770	479.5	496.3	8.4	P480
50775	484.5	501.3	8.4	P485
50780	489.5	506.3	8.4	P490
50785	494.5	511.3	8.4	P495
50790	499.5	516.3	8.4	P500
50795	504.5	521.3	8.4	P505
50800	509.5	526.3	8.4	P510
50805	514.5	531.3	8.4	P515
50810	519.5	536.3	8.4	P520
50815	524.5	541.3	8.4	P525
50820	529.5	546.3	8.4	P530
50825	534.5	551.3	8.4	P535
50830	539.5	556.3	8.4	P540
50835	544.5	561.3	8.4	P545
50840	549.5	566.3	8.4	P550
50845	554.5	571.3	8.4	P555
50850	559.5	576.3	8.4	P560
50855	564.5	581.3	8.4	P565
50860	569.5	586.3	8.4	P570
50865	574.5	591.3	8.4	P575
50870	579.5	596.3	8.4	P580
50875	584.5	601.3	8.4	P585
50880	589.5	606.3	8.4	P590
50885	594.5	611.3	8.4	P595
50890	599.5	616.3	8.4	P600

MG-SEAL® O-Ring Size List




3. JIS G Standard Size

파트넘버	실제 사이즈(mm)			규격
	내경	외경	선경	
53010	19.4	25.6	3.1	G20
53020	24.4	30.6	3.1	G25
53030	29.4	35.6	3.1	G30
53040	34.4	40.6	3.1	G35
53050	39.4	45.6	3.1	G40
53060	44.4	50.6	3.1	G45
53070	49.4	55.6	3.1	G50
53080	54.4	60.6	3.1	G55
53090	59.4	65.6	3.1	G60
53100	64.4	70.6	3.1	G65
53110	69.4	75.6	3.1	G70
53120	74.4	80.6	3.1	G75
53130	79.4	85.6	3.1	G80
53140	84.4	90.6	3.1	G85
53150	89.4	95.6	3.1	G90
53160	94.4	100.6	3.1	G95
53170	99.4	105.6	3.1	G100
53180	104.4	110.6	3.1	G105
53190	109.4	115.6	3.1	G110
53200	114.4	120.6	3.1	G115
53210	119.4	125.6	3.1	G120
53220	124.4	130.6	3.1	G125
53230	129.4	135.6	3.1	G130
53240	134.4	140.6	3.1	G135
53250	139.4	145.6	3.1	G140
53260	144.4	150.6	3.1	G145
53270	149.3	160.7	5.7	G150
53280	154.3	165.7	5.7	G155
53290	159.3	170.7	5.7	G160
53300	164.3	175.7	5.7	G165
53310	169.3	180.7	5.7	G170
53320	174.3	185.7	5.7	G175
53330	179.3	190.7	5.7	G180
53340	184.3	195.7	5.7	G185
53350	189.3	200.7	5.7	G190
53360	194.3	205.7	5.7	G195
53370	199.3	210.7	5.7	G200
53380	204.3	215.7	5.7	G205
53390	209.3	220.7	5.7	G210
53400	214.3	225.7	5.7	G215
53410	219.3	230.7	5.7	G220
53420	224.3	235.7	5.7	G225
53430	229.3	240.7	5.7	G230
53440	234.3	245.7	5.7	G235
53450	239.3	250.7	5.7	G240
53460	244.3	255.7	5.7	G245
53470	249.3	260.7	5.7	G250
53480	254.3	265.7	5.7	G255

파트넘버	실제 사이즈(mm)			규격
	내경	외경	선경	
53490	259.3	270.7	5.7	G260
53500	264.3	275.7	5.7	G265
53510	269.3	280.7	5.7	G270
53520	274.3	285.7	5.7	G275
53530	279.3	290.7	5.7	G280
53540	284.3	295.7	5.7	G285
53550	289.3	300.7	5.7	G290
53560	294.3	305.7	5.7	G295
53570	299.3	310.7	5.7	G300
53580	304.3	315.7	5.7	G305
53590	309.3	320.7	5.7	G310
53600	314.3	325.7	5.7	G315
53610	319.3	330.7	5.7	G320
53620	324.3	335.7	5.7	G325
53630	329.3	340.7	5.7	G330
53640	334.3	345.7	5.7	G335
53650	339.3	350.7	5.7	G340
53660	344.3	355.7	5.7	G345
53670	349.3	360.7	5.7	G350
53680	354.3	365.7	5.7	G355
53690	359.3	370.7	5.7	G360
53700	364.3	375.7	5.7	G365
53710	369.3	380.7	5.7	G370
53720	374.3	385.7	5.7	G375
53730	379.3	390.7	5.7	G380
53740	384.3	395.7	5.7	G385
53750	389.3	400.7	5.7	G390
53760	394.3	405.7	5.7	G395
53770	399.3	410.7	5.7	G400
53780	404.3	415.7	5.7	G405
53790	409.3	420.7	5.7	G410
53800	414.3	425.7	5.7	G415
53810	419.3	430.7	5.7	G420
53820	424.3	435.7	5.7	G425
53830	429.3	440.7	5.7	G430
53840	434.3	445.7	5.7	G435
53850	439.3	450.7	5.7	G440
53860	444.3	455.7	5.7	G445
53870	449.3	460.7	5.7	G450
53880	454.3	465.7	5.7	G455
53890	459.3	470.7	5.7	G460
53900	464.3	475.7	5.7	G465
53910	469.3	480.7	5.7	G470
53920	474.3	485.7	5.7	G475
53930	479.3	490.7	5.7	G480
53940	484.3	495.7	5.7	G485
53950	489.3	500.7	5.7	G490
53960	494.3	505.7	5.7	G495


MG-SEAL® O-Ring Size List



3. JIS G Standard Size

파트넘버	실제 사이즈(mm)			규격
	내경	외경	선경	
53970	499.3	510.7	5.7	G500
53980	504.3	515.7	5.7	G505
53990	509.3	520.7	5.7	G510
54000	514.3	525.7	5.7	G515
54010	519.3	530.7	5.7	G520
54020	524.3	535.7	5.7	G525
54030	529.3	540.7	5.7	G530
54040	534.3	545.7	5.7	G535
54050	539.3	550.7	5.7	G540
54060	544.3	555.7	5.7	G545
54070	549.3	560.7	5.7	G550

MG-SEAL® O-Ring Size List




4. M Standard Size

파트넘버	실제 사이즈(mm)			규격
	내경	외경	선경	
42020	1.5	4.5	1.5	M2
42025	2.5	5.5	1.5	M3
42030	3.5	6.5	1.5	M4
42035	4.5	7.5	1.5	M5
42040	5.5	8.5	1.5	M6
42045	6.5	9.5	1.5	M7
42050	7.5	10.5	1.5	M8
42055	8.5	11.5	1.5	M9
42060	9.5	12.5	1.5	M10
42065	10.5	13.5	1.5	M11
42070	10.7	13.7	1.5	M11.2
42075	11.5	14.5	1.5	M12
42080	12.0	15.0	1.5	M12.5
42085	13.5	16.5	1.5	M14
42090	14.5	17.5	1.5	M15
42095	15.5	18.5	1.5	M16
42100	17.5	20.5	1.5	M18
42105	18.5	21.5	1.5	M19
42110	19.5	22.5	1.5	M20
42115	21.5	24.5	1.5	M22
42120	21.9	25.9	2.0	M22.4
42125	23.5	27.5	2.0	M24
42130	24.5	28.5	2.0	M25
42135	25.5	29.5	2.0	M26
42140	27.5	31.5	2.0	M28
42145	28.5	32.5	2.0	M29
42150	29.5	33.5	2.0	M30
42155	31.5	35.5	2.0	M32
42160	33.5	37.5	2.0	M34
42165	34.5	38.5	2.0	M35
42170	35.0	39.0	2.0	M35.5
42175	35.5	39.5	2.0	M36
42180	37.5	41.5	2.0	M38
42185	38.5	42.5	2.0	M39
42190	39.5	43.5	2.0	M40
42195	41.5	45.5	2.0	M42
42200	43.5	47.5	2.0	M44
42205	44.5	48.5	2.0	M45
42210	45.5	49.5	2.0	M46
42215	47.5	51.5	2.0	M48
42220	49.5	53.5	2.0	M50
42225	52.5	56.5	2.0	M53
42230	54.5	58.5	2.0	M55
42235	55.5	59.5	2.0	M56
42240	59.5	63.5	2.0	M60
42245	62.5	66.5	2.0	M63
42250	64.5	68.5	2.0	M65
42255	66.5	70.5	2.0	M67

파트넘버	실제 사이즈(mm)			규격
	내경	외경	선경	
42260	69.5	73.5	2.0	M70
42265	70.5	74.5	2.0	M71
42270	74.5	78.5	2.0	M75
42275	79.5	83.5	2.0	M80
42280	84.5	88.5	2.0	M85
42285	89.5	93.5	2.0	M90
42290	94.5	98.5	2.0	M95
42295	99.5	103.5	2.0	M100
42300	104.5	108.5	2.0	M105
42305	109.5	113.5	2.0	M110
42310	111.5	115.5	2.0	M112
42315	114.5	118.5	2.0	M115
42320	119.5	123.5	2.0	M120
42325	124.5	128.5	2.0	M125
42330	129.5	133.5	2.0	M130
42335	131.5	135.5	2.0	M132
42340	134.5	138.5	2.0	M135
42345	139.5	143.5	2.0	M140
42350	144.5	148.5	2.0	M145
42355	149.5	153.5	2.0	M150
42360	154.5	158.5	2.0	M155
42365	159.5	163.5	2.0	M160
42370	164.5	168.5	2.0	M165
42375	169.5	173.5	2.0	M170
42380	174.5	178.5	2.0	M175
42385	179.5	183.5	2.0	M180
42390	184.5	188.5	2.0	M185
42395	189.5	193.5	2.0	M190
42400	194.5	198.5	2.0	M195
42405	199.5	203.5	2.0	M200
42410	204.5	208.5	2.0	M205
42415	209.5	213.5	2.0	M210
42420	214.5	218.5	2.0	M215
42425	219.5	223.5	2.0	M220
42430	224.5	228.5	2.0	M225
42435	229.5	233.5	2.0	M230
42440	234.5	238.5	2.0	M235
42445	239.5	243.5	2.0	M240
42450	244.5	248.5	2.0	M245
42455	249.5	253.5	2.0	M250
42460	259.5	263.5	2.0	M260
42465	269.5	273.5	2.0	M270
42470	279.5	283.5	2.0	M280
42475	289.5	293.5	2.0	M290
42480	299.5	303.5	2.0	M300

MG-SEAL® O-Ring Size List




5. H Standard Size

파트넘버	실제 사이즈(mm)			규격
	내경	외경	선경	
57100	9.5	17.5	4.0	H10
57105	10.5	18.5	4.0	H11
57110	11.5	19.5	4.0	H12
57115	12.5	20.5	4.0	H13
57120	13.5	21.5	4.0	H14
57125	14.5	22.5	4.0	H15
57130	15.5	23.5	4.0	H16
57135	17.5	25.5	4.0	H18
57140	19.5	27.5	4.0	H20
57145	20.5	28.5	4.0	H21
57150	21.5	29.5	4.0	H22
57155	23.5	31.5	4.0	H24
57160	24.5	32.5	4.0	H25
57165	25.5	33.5	4.0	H26
57170	27.5	35.5	4.0	H28
57175	29.5	37.5	4.0	H30
57180	31.5	39.5	4.0	H32
57185	33.5	41.5	4.0	H34
57190	34.5	42.5	4.0	H35
57195	35.5	43.5	4.0	H36
57200	37.5	45.5	4.0	H38
57205	39.5	47.5	4.0	H40
57210	41.5	49.5	4.0	H42
57215	43.5	51.5	4.0	H44
57220	44.5	52.5	4.0	H45
57225	45.5	53.5	4.0	H46
57230	47.5	55.5	4.0	H48
57235	49.5	57.5	4.0	H50
57240	52.5	60.5	4.0	H53
57245	54.5	62.5	4.0	H55
57250	55.5	63.5	4.0	H56
57255	57.5	65.5	4.0	H58
57260	59.5	67.5	4.0	H60
57265	62.5	70.5	4.0	H63
57270	64.5	72.5	4.0	H65
57275	66.5	74.5	4.0	H67
57280	69.5	77.5	4.0	H70
57285	74.5	82.5	4.0	H75
57290	79.5	87.5	4.0	H80
57295	84.5	92.5	4.0	H85
57300	89.5	97.5	4.0	H90
57305	94.5	102.5	4.0	H95
57310	99.5	107.5	4.0	H100
57315	104.5	112.5	4.0	H105
57320	109.5	117.5	4.0	H110
57325	114.5	122.5	4.0	H115
57330	119.5	127.5	4.0	H120
57335	124.5	132.5	4.0	H125

파트넘버	실제 사이즈(mm)			규격
	내경	외경	선경	
57340	129.5	137.5	4.0	H130
57345	134.5	142.5	4.0	H135
57350	139.5	147.5	4.0	H140
57355	144.5	152.5	4.0	H145
57360	149.5	157.5	4.0	H150
57365	154.5	162.5	4.0	H155
57370	159.5	167.5	4.0	H160
57375	164.5	172.5	4.0	H165
57380	169.5	177.5	4.0	H170
57385	174.5	182.5	4.0	H175
57390	179.5	187.5	4.0	H180
57395	184.5	192.5	4.0	H185
57400	189.5	197.5	4.0	H190
57405	194.5	202.5	4.0	H195
57410	199.5	207.5	4.0	H200
57415	204.5	212.5	4.0	H205
57420	209.5	217.5	4.0	H210
57425	214.5	222.5	4.0	H215
57430	219.5	227.5	4.0	H220
57435	222.5	234.5	6.0	H225
57440	227.5	239.5	6.0	H230
57445	232.5	244.5	6.0	H235
57450	237.5	249.5	6.0	H240
57455	242.5	254.5	6.0	H245
57460	247.5	259.5	6.0	H250
57465	252.5	264.5	6.0	H255
57470	257.5	269.5	6.0	H260
57475	262.5	274.5	6.0	H265
57480	267.5	279.5	6.0	H270
57485	272.0	284.0	6.0	H275
57490	277.0	289.0	6.0	H280
57495	282.0	294.0	6.0	H285
57500	287.0	299.0	6.0	H290
57505	292.0	304.0	6.0	H295
57510	297.0	309.0	6.0	H300
57515	302.0	314.0	6.0	H305
57520	307.0	319.0	6.0	H310
57525	312.0	324.0	6.0	H315
57530	317.0	329.0	6.0	H320
57535	321.5	333.5	6.0	H325
57540	326.5	338.5	6.0	H330
57545	331.5	343.5	6.0	H335
57550	336.5	348.5	6.0	H340
57555	341.5	353.5	6.0	H345
57560	346.5	358.5	6.0	H350
57565	351.5	363.5	6.0	H355
57570	356.5	368.5	6.0	H360
57575	361.5	373.5	6.0	H365

MG-SEAL® O-Ring Size List



5. JIS V Standard Size

파트 넘버	실제 사이즈(mm)			규격
	내경	외경	선경	
57580	366.5	378.5	6.0	V370
57585	371.5	383.5	6.0	V375
57590	376.0	388.0	6.0	V380
57595	381.0	393.0	6.0	V385
57600	386.0	398.0	6.0	V390
57605	391.0	403.0	6.0	V395
57610	396.0	408.0	6.0	V400
57615	401.0	413.0	6.0	V405
57620	406.0	418.0	6.0	V410
57625	411.0	423.0	6.0	V415
57630	416.0	428.0	6.0	V420
57635	421.0	433.0	6.0	V425
57640	425.5	437.5	6.0	V430
57645	430.5	442.5	6.0	V435
57650	435.5	447.5	6.0	V440
57655	440.5	452.5	6.0	V445
57660	445.5	457.5	6.0	V450
57665	450.5	462.5	6.0	V455
57670	455.5	467.5	6.0	V460
57675	460.5	472.5	6.0	V465
57680	465.5	477.5	6.0	V470
57685	470.5	482.5	6.0	V475
57690	475.5	495.5	10.0	V480
57700	485.5	505.5	10.0	V490
57710	495.5	515.5	10.0	V500
57720	504.5	524.5	10.0	V510
57730	514.5	534.5	10.0	V520
57740	524.5	544.5	10.0	V530
57750	534.5	554.5	10.0	V540
57760	544.0	564.0	10.0	V550
57770	554.0	574.0	10.0	V560
57780	564.0	584.0	10.0	V570
57790	574.0	594.0	10.0	V580
57800	584.0	604.0	10.0	V590
57810	593.5	613.5	10.0	V600
57820	603.5	623.5	10.0	V610
57830	613.5	633.5	10.0	V620
57840	623.5	643.5	10.0	V630
57850	633.5	653.5	10.0	V640
57860	643.0	663.0	10.0	V650
57870	653.0	673.0	10.0	V660
57880	663.0	683.0	10.0	V670
57890	673.0	693.0	10.0	V680
57900	683.0	703.0	10.0	V690
57910	692.5	712.5	10.0	V700
57920	702.5	722.5	10.0	V710
57930	712.5	732.5	10.0	V720
57940	722.5	742.5	10.0	V730

파트 넘버	실제 사이즈(mm)			규격
	내경	외경	선경	
57950	732.5	752.5	10.0	V740
57960	742.0	762.0	10.0	V750
57970	752.0	772.0	10.0	V760
57980	762.0	782.0	10.0	V770
57990	772.0	792.0	10.0	V780
58000	782.0	802.0	10.0	V790
58010	791.5	811.5	10.0	V800
58020	801.5	821.5	10.0	V810
58030	811.5	831.5	10.0	V820
58040	821.5	841.5	10.0	V830
58050	831.5	851.5	10.0	V840
58160	940.5	960.5	10.0	V950
58265	1044.0	1064.0	10.0	V1055